

Highlights:

- Protects & transports up to 2 units of 19" equipment
- · 482 mm usable depth
- · Detachable front & rear cover
- ProShield™ Heavy duty top layer
- · High quality 9 mm plywood
- · Hardware by Penn Elcom
- Dual perforated rack rail on both sides (MK2 version)
- · Punched square holes for use with snap-in cage nuts

The FC102 is a 2 unit professional double cover flightcase compliant to the ANSI/EIA RS-310D, DIN41491 and IEC60297 standards for 19" equipment installation. The construction is made out of high quality 9 mm plywood covered by a ProShield™ top layer, offering optimal protection for your equipment. Both front and back lids are detachable, allowing instant access to both controls and connections of your equipment. Mounting of the equipment can be done using the perforated rack rail with punched square holes for use with snap-in cage nuts, while the dual structure allows installation of horizontal supports for heavy equipment. Superior durability and handling convenience is guaranteed through Penn-Elcom® hardware such as heavy-duty ball corners, rivet protected recessed flip handles and MOL™ type butterfly latches.



Product Features:

	$529 \times 122 \times 687$ mm (W x H x D) (excl. rubber feet)
	2 HE
	507 mm (excl. covers)
	483 mm
	9 mm high-quality plywood
	ProShield™ top layer
	2 x Medium heavy-duty (Penn Elcom H7154Z)
	4 x Medium MOL™ (Penn Elcom L903/7336Z)
Optional	KM500 - M5 Cage nuts
	KS500 - M5 x 16 mm bolt DIN7985 Black
	KM600 - M6 Cage nuts
	KS600 - M6 x 16 mm bolt DIN7985 Black
	SPR60LR - L-rail (horizontal support)
	FCB104 - Caster board (530 x 560 mm)
	BSFxxx - 19" blind panels (1 to 6U)
	Optional

